FORM PTO-1449 O'SHEA, GETZ & KOSAKOWSKI (Rev. 5/92)

1500 Main Street, Springfield, MA 01115 Telephone: (413) 731-3100

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY DOCKET NO. 3000-97 APPLICANT: Fleischer et al.

FILING DATE: March 2, 2002

SERIAL NO. 10/090,277

GROUP: 1743 EXAMINER: Samuel Siefke

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	Α	4,023,549	5/1997	Hewitt			
	В	4,151,060	4/1979	Isenberg			
	С	4,354,308	10/1982	Shimada et al.			
	D	4,633,704	1/6/1987	Tantram et al.	+-		
	Е	4,792,433	12/20/1988	Katsura et al.	1-		
-	F	5,635,628	6/3/1997	Fleischer et al.			

### FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
	G	DE 4105598	9/27/1992	Germany			
	Н	DE 4239319	4/8/1993	Germany			

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL		
	I	Kienle et al., "Acticated Charcoal and its Industrial Application," Stuttgart : Enke, ISBN 3-432-90881-4, Pages 126 and 162-163, 1980.
	J	Müller et al., "Adsorber for a Low Solvent Load," Intelligent Exhaust Air Cleaning Using Electric Current, Verfahrenstechnik, Vol. 37, No. 9, Pages 30-31, 2003.
	K	CCI Charcoal International : Activated Charcoal Textiles Given Uniform Brand Name of Zorflex, MaschinenMarkt, 2004, No. 17, Page 89

EXAMINER DATE CONSIDERED

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not

FORM PTO-1449 O'SHEA, GETZ & KOSAKOWSKI (Rev. 5/92) 1500 Main Street, Springfield, MA

1500 Main Street, Springfield, MA 01115 Telephone: (413) 731-3100

INFORMATION DISCLOSURE STATEMENT BY APPLICANT ATTORNEY DOCKET NO. 3000-97

APPLICANT: Fleischer et al.

FILING DATE: March 2, 2002

EXAMINER: Samuel Siefke

SERIAL NO. 10/090,277

GROUP: 1743

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A	5,879,527	2/9/1999	Kiesele et al.			
	В	6,041,643	3/2000	Stokes et al.			
	С	6,454,834	9/24/2002	Livingstone et al.			<b> </b>
	D	6,566,894	5/2003	Rump			
	Е	6,935,158	8/30/2005	Serina et al.			
	F	2002/0092974	7/18/2002	Kouznetsov			
	G	2004/0112764	6/17/2004	Stokes et al.			
	Н	2004/0133116	7/2004	Abraham-Fuchs et al.			

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
I	DE 4333875	4/6/1995	Germany			
J	DE 10245947	4/8/2004	Germany			
К.	DE 19534557	3/20/1997	Germany			
L	DE 19613274	10/9/1997	Germany			
	I J K	NUMBER   I   DE 4333875   J   DE 10245947   K   DE 19534557   L	NUMBER DATE  I DE 4333875 4/6/1995  J DE 10245947 4/8/2004  K DE 19534557 3/20/1997	NUMBER   DATE   COUNTRY	NUMBER   DATE   COUNTRY   CLASS	NUMBER   DATE   COUNTRY   CLASS   SUBCLASS

### OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL		
	М	Leu et al., "Evaluation of gas mixtures with different sensitive layers incorporated in hybrid FET structures," Sensors and Actuators B, Elsevier Sequoia, Vol. 18-19, 1994, Pages 678-681.
	N	Wöllenstein et al., "Cobalt oxide based gas sensors on silicon substrate for operation at low temperatures," Sensors and Actuators B: Chemical, Elsevier Sequoia, Vol. 93, No. 1-3, August 2003, Pages 442-448.
	0	Gergintschew et al., "The capacitively controlled field effect transistor (CCFET) as a new low power gas sensor," Sensors and Actuators B: Chemical, Elsevier Sequoia, Vol. 36, No. 1, October 1996, Pages 285-289.

sensor," 289.	Sensors and	Actuators	B: Chemica	l, Elsevier	Sequoia,	Vol. 36,	No. 1, O	ctober	1996, P	ages 2	85-

EXAMINER /Samuel Siefke/ DATE CONSIDERED 11/24/2008

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 O'SHEA, GETZ & KOSAKOWSKI (Rev. 5/92) 1500 Main Street. Springfield. MA

1500 Main Street, Springfield, MA 01115 Telephone: (413) 731-3100

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY DOCKET NO. 3000-97

SERIAL NO. 10/090,277

APPLICANT: Fleischer et al.
FILING DATE: March 2, 2002

GROUP: 1743

EXAMINER: Samuel Siefke

### U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A	2005/0035808	02/17/2005	Frerichs			

#### FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
	В	DE 197 08 770	08/27/1998	Germany			
	С	EP 0 947 829	10/6/1999	Europe			
	D	EP 0952447	4/23/1998	Europe			
	Е	EP 1 059 528	5/30/2000	Europe			
	F	EP 1104884	11/7/2000	Europe			
	G	EP 1103809	5/3/2001	Europe			
	Н	EP 1 176 418	1/30/2002	Europe			
	I	JP 03131749	6/5/1991	Japan			
	J	JP 03259736	11/19/1991	Japan			
	K	JP 01059049	3/6/1989	Japan			

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	L							
	L	Fleischer et al., "Selective gas detection with high-temperature operated metal oxides using catalytic filters," Sensors and Actuators B, Vol. 69, Pages 205-210, 2000.						
	М	Pohle et al., "Realization of a New Sensor Concept: Improved CCFET and SGFET Type Gas Sensors in Hybrid Flip-Chip Technology," Transducers, 12th International Conference on Solid-State Sensors, Actuators and Microsystems, June 2003, Vol. 1, 9, Pages 135-138						
	N	Peschke et al., "Optimization of Sputtered SnO2 Films as Gas-sensitive Layers for Suspended-gate FETs", Sensors and Actuators B, 1991, Pages 157-160, XP-002379749						
	0	Lampe et al., "GasFET for the detection of reducing gases", Sensors and Actuators B 111-112, 2005, Pages 106-110						
	Р	Mizsei et al., "Simultaneous Response of Work Function and Resistivity of some SnO2-based Samples to H2 and H2S", Sensors and Actuators B, 4 (1991), Pages 163-168, XP-002379750						
	Q	Doll et al., "Gas detection with work function sensors", Proceedings of the SPIE, SPIE, Bellingham, VA, US, Vol. 3539, November 1998, Pages 96-105, XP-002329891						
EXAMINER		DATE CONSIDERED 44/04/0000						

EXAMINER /Samuel Siefke/ DATE CONSIDERED 11/24/2008

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 O'SHEA, GETZ & KOSAKOWSKI (Rev. 5/92) 1500 Main Street, Springfield, MA

1500 Main Street, Springfield, MA 01115 Telephone: (413) 731-3100

INFORMATION DISCLOSURE

ATTORNEY DOCKET NO. 3000-97 SERIAL NO. 10/090,277

APPLICANT: Fleischer et al. GROUP: 1743

STATEMENT BY APPLICANT FILING DATE: March 2, 2002

EXAMINER: Samuel Siefke

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A						
	В						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	С						

### FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
	D	WO 94/23288	10/13/1994	PCT			
	Е	WO 96/01992	1/25/1996	PCT			
	F	WO 98/41853	9/24/1998	PCT			
	G	WO 03/050526	6/19/2003	WIPO			
							<u> </u>

# OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

H Paris et al., "\$7.5: Low Drift Air-Gap CMOS-FET Gas Sensor," Proceedings of IEEE Sensors, Vol. 1 of 2, Conf. 1, 12 June 2002, pages 421-425, 2002, XP010605129, ISBN: 0-7803-7454-1.  1 Burgmair et al., "Humidity and temperature compensation in work function gas sensor FETs," Sensors and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 93, No. 1-3, pages 271-275, 2003.  J Burgmair et al., "Field affect transducers for work function gas measurements: device improvements and comparison of performance," Sensors and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 95, No. 1-3, pages 135-188, 2003.  K Covington, et al. "Combined smart chemFET/resistive sensor array," Proceedings of the IEEE, Vol. 2., Pgs. 1120-1123, 2003.  L Doll et al., "Modular System Composed of Hybrid GasFET Modules," ITG-Technical Report 126: Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP-000874734  M M. Lehmann, "Nanometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751	INITIAL		
and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 93, No. 1-3, pages 271-275, 2003.  J Burgmair et al., "Field effect transducers for work function gas measurements: device improvements and comparison of performance," Sensors and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 95, No. 1-3, pages 183-188, 2003.  K Covington, et al. "Combined smart chemFET/resistive sensor array," Proceedings of the IEEE, Vol. 2., Pgs. 1120-1123, 2003.  L Doll et al., "Modular System Composed of Hybrid GasFET Modules," ITG-Technical Report 126: Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP-000874734  M M. Lehmann, "Manometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751		Н	
comparison of performance," Sensors and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 95, No. 1-3, pages 183-188, 2003.  K Covington, et al. "Combined smart chemFET/resistive sensor array," Proceedings of the IEEE, Vol. 2., Pgs. 1120-1123, 2003.  L Doll et al., "Modular System Composed of Hybrid GasFET Modules," ITG-Technical Report 126: Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP-000874734  M M, Lehmann, "Nanometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751		I	
Pgs. 1120-1123, 2003.  L Doll et al., "Modular System Composed of Hybrid GasFET Modules," ITG-Technical Report 126: Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP- 000874734  M M. Lehmann, "Manometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751		<b>J</b> ∦	comparison of performance," Sensors and Actuators B, Elsevier Sequoia S.A., Lausanne, CH, Vol. 95,
Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP-000874734  M. Lehmann, "Nanometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751		K	
Pages 43-47, XP-002379751		L	Sensors-Technology and Application, VDE Verlag, Berlin, Germany, 1994, Pages 465-470, XP-000874734
N		М	M. Lehmann, "Nanometre Dimensions in Bio and Gas Sensor Technology", MST News, March 2004, Pages 43-47, XP-002379751
		N	

EXAMINER Samuel Sletke

DATE CONSIDERED 11/24/2008

#### EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.